

Forme costruttive di base:

rapporto:
1/1,5



RM-S1



RM-S2



RM-S3




RM-S4



RM-S9



RM-S10



Rinvio ad alberi sporgenti veloci RM

Modello XRM*

Grandezza	54	86	110	134	166	200	250	350	500
A	54	86	110	134	166	200	250	350	500
A1	8,5	15	15	18	21	23	22	30	35
A2	10	10	8	9	11	11	11	15	20
A3	37	60	72	87	106	125	150	210	295
A4	44	70	90	114	144	174	216	320	450
A5	72	84	110	132	152	182	218	330	415
A6	95	114	150	182	217	267	318	450	385
A7	74	120	144	174	212	250	300	420	590
A8	122	157	205	249	300	367	443	625	835
A12	120	180	224	274	342	420	500	660	930
B	1,5	2	2	2	2	2	3	5	10
C1 \varnothing f7	53	84	100	122	156	185	230	345	485
D \varnothing h7	11	16	20	24	32	42	55	65	120
E \varnothing	52,8	59	68	80	107	120	152	240	320
F	M4x12	M8x20	M10x25	M10x25	M12x30	M14x35	M16x40	M20x60	M30x80
F1	M4x10	M6x12	M8x20	M8x20	M10x25	M10x25	M12x25	M12x25	M20x50
G	27	43	55	67	83	100	125	175	250
H	23	30	40	50	65	85	100	120	170
M	4x4x20	5x5x25	6x6x35	8x7x45	10x8x60	12x8x80	16x10x90	18x11x110	32x18x150

* Modello XRM: versione in acciaio inossidabile

